

IN THE CLAIMS

Please amend the claims as follows:


Claims 1-17 (Cancelled).

18. (Allowed) A fuel, comprising one or more alkyl esters of fatty acids having formula

(I):



one or more esters of fatty acids of glycerol carbonate having formula (II):



wherein:

R represents a mono- or polyunsaturated, linear, branched or cyclic alkyl or alkenyl radical, containing from 4 to 24 carbon atoms;

R' represents a linear, branched or cyclic alkyl radical containing from 1 to 8 carbon atoms, and


mineral gasoil, a fuel additive and mixtures thereof.

19. (Allowed) A method of making a fuel, the method comprising mixing mineral gasoil, a fuel additive and mixtures thereof with one or more alkyl esters of fatty acids having formula

(I):



and one or more esters of fatty acids of glycerol carbonate having formula (II):



wherein:

R represents a mono- or polyunsaturated, linear, branched or cyclic alkyl or alkenyl radical, containing from 4 to 24 carbon atoms;

R' represents a linear, branched or cyclic alkyl radical containing from 1 to 8 carbon atoms.

Claims 20-25 (Cancelled).

26. (Allowed) The fuel of claim 18, wherein R represents a mono- or polyunsaturated, linear, branched or cyclic alkyl or alkenyl radical, containing from 8 to 22 carbon atoms; and R' represents a linear or branched alkyl radical containing from 1 to 4 carbon atoms.

27. (Allowed) The method of claim 19, wherein R represents a mono- or polyunsaturated, linear, branched or cyclic alkyl or alkenyl radical, containing from 8 to 22 carbon atoms; and R' represents a linear or branched alkyl radical containing from 1 to 4 carbon atoms.

Claims 28-33 (Cancelled).

34. (Allowed) The fuel of claim 18, wherein the esters of fatty acids of glycerol carbonate are present in a weight percentage ranging from 10 to 40%.

35. (Currently Amended) The method of claim 19, wherein the esters of fatty acids of glycerol carbonate are present in the fuel solvent in a weight percentage ranging from 10 to 40%.